Subject Index to Volume 4

A

4D guidance and control, 301–307
AI—general, 407, 409–416, 439–443
AI—implementation techniques, 11–21, 121–130
AI in automotive engineering, 59–64
AI in cartography, 279–285
AI in chemical engineering, 151–155
AI in control engineering, 139–144
AI in electrical engineering, 11–21, 445–452
AI in electronic design, 109–119, 229–234
AI in engineering design, 109–119, 145–150, 205–220, 417–424, 425–432
AI in hydraulic engineering, 377–384
AI in manufacturing, 121–130, 167–175, 417–424, 433–438
AI in map-generation, 279–285
AI in mechanical engineering, 51–58, 59–64, 85–95, 205–220, 351–358, 385–392, 425–432
AI in offshore engineering, 51–58
AI in petroleum exploitation, 51–58
AI in power systems, 11–21, 445–452
AI in process control, 329–339
AI in water engineering, 151–155, 367–375, 377–384
AI in welding, 65–69
Approximate reasoning, 131–138
Automotive engineering—AI applications, 59–64
Autonomous guided vehicles [AGVs], 251–255, 257–268, 269–277, 279–285, 287–300, 301–307, 309–318
Autonomous underwater vehicles, 269–277, 309–318

B

Blackboard systems, 85–95, 109–119, 205–220

C

C++, 257–268, 269–277
Cartography—AI applications, 279–285
Causal reasoning, 151–155
Chemical engineering—AI applications, 151–155
Command and control, 257–268
Computer aided design (AI techniques in), 109–119, 377–384
Conceptual design, 425–432
Concurrent engineering, 417–424
Constraint-based models, 221–228
Control engineering—AI applications, 139–144
Controller architectures, 269–277
Controller tuning, 177–189
Control systems, 139–144
Control theory, 453–458, 459–465
Co-operative algorithms, 23–33
Co-operative knowledge systems, 109–119, 377–384

D

Design automation, 109–119, 145–150, 205–220, 229–234, 351–358, 425–432
Design methodologies, 425–432
Diagnosis, 11–21, 65–69
Distributed AI systems, 145–150, 167–175
Distributed resource allocation, 167–175
Distributed scheduling, 167–175

E

Electrical engineering—AI in, 11–21, 445–452
Electronic design—AI in, 109–119, 229–234

Engineering design—AI in, 109–119, 145–150, 205–220, 417–424, 425–432
Experimental systems, 139–144
Expert systems, 11–21, 35–49, 51–58, 65–69, 85–95, 121–130, 131–138, 151–155, 235–238, 377–384, 351–358, 367–375, 385–392, 417–424, 445–452
Extended Petri nets, 221–228

F

Fault diagnosis, 151–155, 329–339
Finite element analysis, 351–358
Flexible manufacturing cells, 121–130
Flexible manufacturing systems, 167–175, 417–424
Fluid dynamics, 385–392
Functional reasoning, 1–10
Fuzzy control, 177–189, 309–318

G

General applications of AI, 407, 409–416, 439–443
Generic tasks, 1–10
Geometrically non-complete objects, 425–432
Group theory, 453–458

H

Hydraulic engineering—AI applications, 377–384

I

Image analysis, 191–204, 433–438
Image processing, 35–49, 287–300, 301–307, 341–350, 433–438
Image recognition, 191–204
Industrial applications of AI, 341–350, 409–416, 433–438
Industrial image processing, 341–350
Information engineering, 439–443
Integration—systems, 23–33, 35–49, 145–150
Intelligent autonomous vehicles, 251–255, 257–268, 269–277, 279–285, 287–300, 301–307, 309–318
Intelligent control, 251–255, 257–268, 269–277, 279–285, 287–300, 301–307, 309–318
Intelligent flexible cells, 121–130
Intelligent front ends, 385–392
Intelligent guidance, 97–108, 279–285
Intelligent motion control, 301–307, 309–318

K

Knowledge-based control, 177–189
Knowledge-based rules, 433–438
Knowledge-based systems—implementation, 409–416, 439–443
Knowledge management, 377–384

L

Laboratory automation, 23–33
Learning systems, 309–318
LISP, 85–95
Logical simulation, 445–452
Logic programming, 409–416

M

Management systems, 439–443
Manufacturing—AI applications, 121–130, 167–175, 417–424, 433–438
Map-generation—AI applications, 279–285
Mathematical techniques, 351–358, 453–458, 459–465
Mechanical engineering—AI applications, 51–58, 59–64, 85–95, 205–220, 351–358, 385–392, 425–432

Meta-systems, 145–150
Mission management, 257–268
Model-based reasoning, 1–10
Modelling simulation, 23–33, 59–64, 367–375
Modelling techniques, 85–95, 221–228, 235–238, 359–366, 367–375
Modular architectures, 279–285
Modular systems, 287–300
Multiple-blackboard techniques, 109–119
Multiple knowledge sources, 377–384
Multiple-valued logic, 131–138
Multiprocessors, 139–144

N

Neural networks, 59–64, 139–144, 309–318, 341–350
Neural networks—engineering applications, 59–64, 139–144, 279–285, 309–318, 341–350
Neural networks—multi-layered, 309–318
Neural networks—theoretical background, 309–318
Nonlinear dynamics, 59–64

O

Object-oriented control, 301–307, 269–277
Object-oriented software, 257–268
Offshore engineering—AI applications in, 51–58
Optical character recognition [OCR], 191–204
Optimization, 235–238, 351–358

P

Parallel systems design, 139–144
Pattern analysis, 35–49
Petri nets, 221–228
Petri-net modelling, 221–228
Petroleum exploitation—AI applications in, 51–58
PID control, 177–189
Power systems—AI applications, 11–21, 445–452
Process control—AI applications, 329–339
Process modelling, 235–238
Production systems, 131–138

Q

Qualitative modelling, 329–339
Qualitative reasoning, 1–10
Quantitative reasoning, 1–10

R

Resource allocation, 167–175
Robotics, 97–108, 453–458, 459–465
Robustness, 309–318
Route planning, 97–108

S

Scheduling and planning, 167–175, 257–268
Sensor monitoring, 329–339
Signal processing, 23–33
Software engineering, 439–443
Spatial reasoning, 97–108
Speech-processing, 23–33
Speech recognition, 23–33
Structural topologies, 425–432
Surface segmentation, 287–300

Symbolic languages, 85–95, 257–268, 269–277
System modelling, 221–228, 359–366

T
Temporal logic, 257–268
Testability, 229–234
Text reading, 191–204
Threshold logic, 131–138
Transputers, 139–144, 287–300
Typed text character coding schemes, 191–204

U
Uncertainty management, 131–138, 235–238, 359–366
Underwater vehicles, 269–277, 309–318

V
Vision-based control, 287–300, 301–307
Vision systems, 287–300, 433–438
VLSI, 109–119

W
Water engineering—AI applications in, 151–155, 367–375, 377–384
Welding—AI applications in, 65–69

Author Index for Volume 4

Ambroziak J. R. 85
Ariste A. 71
Aryee E. B. 341

Batur C. 359
Ben-David A. 235
Bitó J. F. 453, 459
Bond W. E. 1
Bourbakis N. G. 191
Burton M. 191
Button B. L. 385

Cha J.-Z. 145
Chan C.-C. 359
Chan W. T. 367
Chan Y. W. 205
Chetverikov D. 433
Cohen G. 121
Conlon M. F. 11
Csonto J. 131

Dabke K. P. 11
Dagless E. L. 287
Dickmanns E. D. 301

Ebecken N. F. F. 51
Eröss Gy. 453, 459

Fraser R. J. C. 257
Frigó J. 439
Fujii T. 309

Geymayr J. A. B. 51
Giacomin J. 59
Gillies A. C. 35
Gowdy J. 279

Haghighi K. 351
Handreck K. 11
Harris C. J. 251, 257, 319
Hartle S. L. 385
Horváth I. 425
Hura G. S. 221

Jambunathan K. 385
Janusz M. E. 329
Junqua J.-C. 23

Kadar P. 445
Kamel A. 1
Kleiber M. 85
Knight B. 151
Kovács G. 417

Lai E. 385
Law C. L. 367
Learmont N. D. 394
Leng G. W. 239, 393
Leong K. T. 205
Lerch A. 433
Liong S. Y. 367
Lun V. 74, 167

MacLeod I. M. 167
Mani N. 109
Marche C. 377
Mariani J. A. 240
Mathias L. W. 257
Mezgár I. 417
Miles R. G. 139
Milford D. J. 287
Molnár B. 439
Morgan A. D. 287
Moseley L. 239
Motz D. S. 351

Nagy F. N. 157

Parthasarathy S. 241
Poehlman W. F. S. 341
Pomerleau D. A. 279
Pratt I. 97

Rao M. 145
Rayner N. J. W. 257
Robert B. 377
Rodd M. G. 395
Rødseth Ø. J. 269
Rudas I. J. 407

Sadananda R. 109
Sântâné-Tóth E. 409
Sharpe P. K. 139
Sibai F. N. 229
Silva C. W. de 177
Sim S. K. 205
Srinivasan A. 359
Sticklen J. 1

Taleb M. 377
Tammet T. 157
Tar J. K. 453, 459
Thomas B. T. 287
Thorpe C. E. 279

Ura T. 309

Venkatasubramanian V. 329

Wakita H. 23
Watson J. 393
Watts P. 151
Wu C. S. 65
Wu L. 65

Xu J. 65
Yuan B.-Z. 72, 158

Zhao G. F. 159
Zhou J. 145

Notes for Authors

1. SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted (four copies) to one of the following:

M. G. Rodd, Department of Electrical and Electronic Engineering, University of Wales, Swansea, Singleton Park, Swansea SA2 8PP, U.K.

G. J. Suski, Lawrence Livermore National Laboratories, PO Box 808, L-550, Livermore, CA 94550, U.S.A.

T. S. Ng, Department of Electrical and Electronic Engineering, University of Hong Kong, Pokfulam Road, Hong Kong.

Only original papers will be considered for publication and submission of a manuscript implies that the work has not been simultaneously submitted for publication elsewhere.

The author's full address details must be given and in cases of co-authored papers, correspondence and proofs for correction will be sent to the first named author unless requested otherwise. Where possible, the **Fax number of the corresponding author** should be supplied with the manuscript, for use by the publisher.

The language of the journal is English.

2. STYLE OF MANUSCRIPT

The manuscript should be typed double-spaced with wide margins, using one side of the paper only. Use of the first person ("I"/"we") should be avoided.

Papers will be divided into the following sections:

- Survey papers/tutorials
- Papers—detailed expositions of new research or applications
- Brief papers—short discussions of new technical concepts or developments, or new applications of existing techniques
- Education and training—discussions of techniques for teaching the technology, or descriptions of experience using AI methods
- Software reviews—reviews of existing, available software systems.

The title page

The title should be brief. The author's name should be typed on the line below the title and the affiliation and address should follow on the next line. In the case of co-authors the same format applies.

The abstract must precede the main text and should be of no more than 200 words. A list of 5–10 relatively independent keywords (index terms), characterising the paper, should follow the abstract.

Mathematical expressions

Mathematical symbols and formulae should be clearly identified. All non-standard abbreviations or symbols should be defined when first mentioned and distinction should be made between the letter O and zero (0); between the letter l and the number (1); between K and Kappa. A vector will be printed in boldface and to indicate this the letter should be underscored with a single wavy line.

Units

Authors must use SI units. Any alternative versions of units may be added in parenthesis following the appropriate SI value.

Illustrations

Illustrations (line-drawings and halftones etc.) should accompany the script but should not be included in manuscript pages. They should be referred to as figures and numbered consecutively with full details lightly written on the back using a soft pencil.

Line drawings should include all relevant details and should be drawn in black ink on plain white drawing paper or tracing cloth.

Half-tone illustrations are to be restricted to the minimum number necessary. High quality negatives or glossy bromide prints should accompany the manuscript pages but should not be attached.

All illustrations should, if possible, be about twice the final size required and lettering must in all cases be clear and "open" and sufficiently large to permit the necessary reduction in size.

Figure legends should be typed on a separate sheet of paper and placed at the end of the manuscript.

References

Direct references in a paper to published literature should be quoted in the text by superior Arabic numerals. References should be arranged as follows:

1. Rashid R.E. and Tokuda H. Mach: a system software kernel. *Comput. Systems Engng* **1,** (2–4), 163–169 (1990).
2. Simpson P.K. *Artificial Neural Systems.* Pergamon Press, New York (1990).

3. PAGE PROOFS

Page proofs will be sent to the author (or first mentioned author of co-authored papers) and should be returned within 48 hours of receipt. Corrections should be restricted to printer's errors; any other changes to the text, in equations or grammar, may be charged to the author. Please note that authors are urged to check their proofs carefully before return, since late corrections cannot be guaranteed for inclusion in the printed journal.

No manuscripts or figures will be returned following publication unless a request for return is made when the manuscript is originally submitted.

4. REPRINTS

Twenty-five free reprints will be supplied to the principal author. Further reprints and a copy of the journal can be purchased at a reasonable cost if ordered using the reprint order form which accompanies page proofs. These should be returned to: Pergamon Press plc, Pergamon House, Bampfylde Street, Exeter EX1 2AH, England.

5. COPYRIGHT

Because of changes in copyright laws the transfer of copyright from the author to the Publisher, previously implicit in the submission of a manuscript, must now be explicitly transferred to enable the Publisher to ensure maximum dissemination of the author's work. A copy of the Publishing Agreement will be supplied to authors with their proofs.

Written permission must be obtained from both author and publisher of any previously published material: text, tables, figures etc. It is the author's responsibility to obtain this permission.

The Editors and Publisher cannot accept responsibility for the correctness of published programs or numerical results. The responsibility is that of the author who will have an opportunity to check the program and the results at proof stage.

Printed and bound in Great Britain by BPCC Wheatons Ltd, Exeter